EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4629	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5) with configuration$1 and simultaneous$2 and pric$3 same (base or final or change or difference)(alter$4 or chang$3 or modify$3) with promotion$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:23
L2	4022	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5) with configuration$1 same simultaneous$2 and pric$3 same (base or final or change or difference)(alter$4 or chang$3 or modify$3) with promotion$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:24
L3	124	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5) with configuration$1 same simultaneous$2 and pric$3 same (base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:24
L4	124	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5) with configuration$1 same simultaneous$2 and pric$3 same (delta or base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:24
L5	95	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5) with configuration$1 same simultaneous$2 and pric$3 same (delta and base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:24

L6	63	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5) with configuration$1 same simultaneous$2 and pric$3 same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:25
L7	3	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5) with (product or good$1 or computer$1) with configuration$1 same simultaneous$2 and pric$3 same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:26
L8	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5) with (product or good$1 or computer$1) with configuration$1 and simultaneous$2 with pric$3 same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:27
L9	7	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5 or many or several) with (product or good$1 or computer$1) with configuration$1 same simultaneous$2 and (quot$3 or pric$3) same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:28

L10	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5 or many or several) with (product or good$1 or computer$1) with configuration$1 same (side adj side or simultaneous$2) with (quot$3 or pric$3) same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:29
L11	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5 or many or several) with custom with configuration$1 and (side adj side or simultaneous$2) with (quot$3 or pric$3) same (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:30
L12	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3) same (delta and base or final or change or difference) same (plurality or multipl$5 or many or several) with custom with configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:30
L13	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3) same (delta and base or final or change or difference) same (plurality or multipl$5 or many or several) with custom same configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:31
L14	14	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3) same (delta and base or final or change or difference) and (plurality or multipl$5 or many or several) with custom same configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:31

L15	88	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3) and (delta and base or final or change or difference) and (plurality or multipl$5 or many or several) with custom same configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:35
L16	16	L15 not l14 and "705"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:35
L17	3	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3) with (delta and base or final or change or difference) and (plurality or multipl$5 or many or several) with custom near5 configuration$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:38
L18	113	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5 or many or several) with (product or good$1 or computer$1) with configuration$1 and (quot$3 or pric$3) with (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:40
L19	91	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5 or many or several) with (product or good$1 or computer$1) with configuration$1 and (quot$3 or pric$3) near4 (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:41

L20	99	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (plurality or multipl$5 or many or several) with (product or good$1 or computer$1) with configuration$1 and (quot$3 or pric$3 or rfq) near7 (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:42
L21	7	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) with (plurality or multipl$5 or many or several) with (product or good$1 or computer$1) with configuration$1 and pric$3 with (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:43
L22	89	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) with (product or good$1 or computer$1) with configuration$1 and pric$3 with (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:44
L23	59	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) with (product or good$1 or computer$1) near5 configuration$1 and pric$3 with (delta and base or final or change or difference) not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:45

L24	56	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) with (product or good$1 or computer$1) near5 configuration$1 and pric$3 with (delta and base or final or change or difference) not trilogy not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:47
L25	248	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) with custom$4 near4 (product or good$1 or computer$1) and configuration$1 and pric$3 with (delta and base or final or change or difference) not trilogy not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:49
L26	209	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) near5 custom$4 near4 (product or good$1 or computer$1) and configuration$1 and pric$3 with (delta and base or final or change or difference) not trilogy not ginter	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:50
L27	3	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) near5 custom$4 near4 (product or good$1 or computer$1) and configuration$1 and (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) same feature$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:52
L28	9	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) near5 custom$4 near4 (product or good$1 or computer$1) and (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) same feature$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:53

L29	1343	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) and (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) same feature$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:55
L30	54	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) with (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) same feature$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:55
L31	21	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) with (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) same feature$1 and configur$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:56
L32	3	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) with (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) same feature$1 same configur$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:58
L33	228	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) same feature$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:59
L34	10	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) near7 feature$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 14:59

L35	225613	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) near7 feature$1 G06Q	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:00
L36	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) near7 feature$1 and G06Q	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:00
L37	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) with feature$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:01
L38	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (first or second) with (chang$3 or modification$1 or alter$3 or mofify$3) with (attribute$1 or feature$1 or model$1 or make$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:03
L39	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (first or second) with (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:03

L40	35	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (many or multiple or plurality or several) with (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:04
L41	79	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:06
L42	16	("5175795" | "5293479" | "5311424" | "5745765" | "5784286" | "5877966" | "5963953" | "5966310" | "6064982" | "6260068" | "6272494" | "6351734" | "6412012" | "6727925" | "6865524" | "7269664").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/03/27 15:08
L43	55	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1) and pric$3 same (delta and base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:11
L44	81	("5570291").URPN.	USPAT	OR	OFF	2009/03/27 15:11
L45	14	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1) and "707"/$$	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:14

L46	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (many or multiple or plurality or several) with (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1) and 705/400	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:15
L47	5	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same custom near7 product $1 and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1) and 705/400	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:16
L48	78	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near5 (quot$3 or pric $3 or rfq)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:28
L49	35	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near2 (quot$3 or pric $3 or rfq)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:29
L50	6145789	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near2 (quot$3 or pric $3 or rfq) and made -to - order	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:29
L51	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near2 (quot$3 or pric $3 or rfq) and made-to-order	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:29

L52	2	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and super near2 (quot$3 or pric$3 or rfq) same (made-to-order or custom or configurat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:30
L53	897	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) near3 (made-to-order or custom or configurat$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:30
L54	335	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) near3 (made-to-order or custom or configurat$4) and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:31
L55	197	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) near3 (made-to-order or custom or configurat$4) and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1) and (quot$3 or pric$3) same (delta and base or final or change or difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:32
L56	8	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) near3 (made-to-order or custom or configurat$4) and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1) and (quot$3 or pric$3) same (delta and base or final or change or difference) and 705/400	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/03/27 15:32

L57	1	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) near3 (made-to-order or custom or configurat$4) and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:34
L58	2	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (made-to-order or custom or configurat$4) and (chang$3 or modification$1 or alter$3 or modify$3) with (attribute$1 or feature$1 or model$1 or make$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:35
L59	9	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (made-to-order or custom or configurat$4) and (chang$3 or modification$1 or alter$3 or modify$3) same (part$1 or accessor$3 or attribute$1 or feature$1 or model$1 or make$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:35
L60	312	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (made-to-order or custom or configurat$4 or customizing)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:38
L61	111	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (made-to-order or custom or configurat$4 or customizing) and (part$1 or accessor$3 or attribute$1 or feature$1 or model$1 or make$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:38

L62	12	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (made-to-order or custom or configurat$4 or customizing) near7 (goods or product$1 or automobile$1 or house$1 or computer$1) same (part$1 or accessor$3 or attribute$1 or feature$1 or model$1 or make$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:40
L63	0	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (made-to-order or custom or configurat$4 or customizing) with (goods or product$1 or car or cars or automobile$1 or house$1 or computer$1) and chang$3 with (part$1 or accessor$3 or attribute$1 or feature$1 or model$1 or make$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:42
L64	7	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) same (made-to-order or custom or configurat$4 or customizing) with (goods or product$1 or car or cars or automobile$1 or house$1 or computer$1) and select$3 with (part$1 or accessor$3 or attribute$1 or feature$1 or model$1 or make$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:43
L65	13	(@ad<"20010201" or @pd<"20010201" or @rlad<"20010201" or @prad<"20010201") and (quot$3 or pric$3 or rfq) and (made-to-order or custom or configurat$4 or customizing) with (goods or product$1 or service$1 car or cars or automobile$1 or house$1 or computer$1) and select$3 with (part$1 or accessor$3 or attribute$1 or feature$1 or model$1 or make$1)	FPRS; EPO; JPO; DERWENT	OR	OFF	2009/03/27 15:44

3/27/2009 3:56:52 PM